www.ultralifecorporation.com/commsys







# AN/PRC-148 PRODUCT PORTFOLIO

**AMPLIFIERS & ACCESSORIES** 

**POWER SUPPLIES** 

**RADIO MOUNTS** 

**ANTENNAS & CABLES** 



### **AMPLIFIERS & ACCESSORIES**

出用

111



### A-320V1

**20 WATTS, 30-512 MH**z Our most popular amplifier.

Combat proven and widely fielded.

- 20 watts, 30-512 MHz
- Supports JTRS waveforms
- DAMA, HAVEQUICK & SINCGARS
- Radio manufacturer independent
- Only 24 ounces
- NSN# 5996015602777

### A-320KT LIGHTWEIGHT 20-WATT KIT

Our lightweight, 20-watt solution kit includes:

- A-320V1 30-512 MHz amplifier
- Quick-release amp holder
- ▶ 90-512 MHz multiband antenna
- Angle adjustable antenna mount
- Power and RF cabling



#### A-305 **50-WATT AMPLIFIER**

50-Watt 30-512 MHz amplifier with MBITR charging pocket.

- Combat proven
- HAVEQUICK & SINCGARS
- Less than 10 lbs. with shock tray



### A-320V2

### 30-512 MHz w/PR4G SUPPORT

The A-320 keeps getting better. The A-320V2 adds PR4G support.

- 20 watts, 30-512 MHz
- ▶ PR4G support in all modes
- Supports JTRS waveforms
- ▶ DAMA, HAVEQUICK & SINCGARS
- Only 24 ounces



### A-3075 75-WATT AMPLIFIER

75-Watt 30-512 MHz amplifier with MBITR charging pocket.

- 75 watts for UHF and SATCOM
- Multilevel power control (12/25/50/75 watts)
- Supports DAMA and other JTRS waveforms





### LPAS-320U LIGHTWEIGHT PORTABLE AMPLIFICATION SYSTEM-

**UNIVERSAL** The LPAS-320U is lightweight and easily transferred from manpack to vehicle to fixed-site.

- Includes A-320 amplifier
- Universal radio pocket supports 16 radios (including variants)
- Integrated MRC-93 power supply
- 90-512 MHz antenna included

(including variants) MIL-STD-810G gualified for environmentals

Accepts all A-320 variants

11-36 VDC Input

Supports 16 radios

in the vehicle.

MBA-21R+

### FOR UNITED KINGDOM MOD

The proven technology of the A-320 in a requirement specific form-factor.

- 20 watts, 30-512 MHz
- Supports JTRS waveforms
- ► HAVEQUICK & SINCGARS
- Radio manufacturer independent

## **AUDIO ACCESSORIES**

# ANTENNAS/ADAPTERS

AV2125

#### MRC-67A

AMPLIFIED SPEAKER

- Wide VDC input range
- LED indicators
- 5 watt amplification
- Available in Black, Olive, and Desert Tan



### SOCOM-X Noise reduction headset

- 20 dB noise reduction
- 256 increment volume control
- 200 + hour battery life (8:1:1 duty cycle)



MANPACK SATCOM ANTENNA

240-318 MHz

VSWR 1.5:1

#### A-320DPA DUAL PORT ADAPTER

AV2055-3

The A-320DPA allows dual antenna

use with the A-320 amplifier.

- Fits every A-320 amplifier
- LNA for UHF/SATCOM -10 dB gain
- Installs without tools



FOLDABLE SATCOM ANTENNA

240-318 MHz

VSWR 1.5:1

Deploys in 30 seconds or less

### **POWER SUPPLIES**

### MRC-41

**1-BATTERY CHARGE ADAPTER** 

Powers the AN/PRC-148.

- Accepts all standard xx90-type batteries
- Includes battery box and battery eliminator cable







#### **C-400 SERIES CABLES**

FOR AN/PRC-148

- C-400 Side connector kit
- C-401 to VDC 400/600
- C-402 to RS232 unterminated
- C-403 to VDC 200/300/500
- C-404 to DAGR
- C-405 Retransmit cable
- C-407 Serial data cable
- C-412 3' unterminated
- C-412B to 26-pin HD connector



### MRC-42

### **MBITR/JEM WATERROOF POWER SUPPLY**

Powers the AN/PRC-148.

- 11-36 VDC input
- MIL-STD-1275 compliant
- Safely recharges xx2590-type batteries
- Auxilliary DC output